



July 9, 1999

MR. MATT DONELAN
LOCTITE CORPORATION
1001 TROUT BROOK CROSSING
ROCKY HILL, CT 06067-3910

Re: Revised Official Listing
Standard 61

Dear Mr. Donelan:

It is my pleasure to enclose your revised Official Listing. Please review it for accuracy, including footnotes. If you have any questions or concerns about this revision, please promptly contact your NSF Representative, Wallace Laburn at 734/769-5264.

LOCTITE CORPORATION is authorized to use the NSF Mark for products specified on this Official Listing.

As an NSF Listed Company, you are responsible for compliance with all NSF requirements for Certification services. Please note that your Listed products must bear the NSF Mark unless specifically exempted by policy.

Sincerely,

Connie L. Berry, Manager
Certification Records

**NSF International (NSF)
OFFICIAL LISTING**

This is a Certification by NSF that these products conform to the requirements of
NSF Standard 61 - Drinking Water System Components - Health Effects

This is your Official Listing as we have it on record at this time.

July 9, 1999

CC: 02 09

LOCTITE CORPORATION
1001 TROUT BROOK CROSSING
ROCKY HILL, CT 06067-3910

Plant At: WEBSTER, MA

JOINING & SEALING MATERIALS

Trade Designation	Size	Water Contact Temp	Water Contact Material
<i>Adhesives</i>			
Pro Lock™ Klean n' Prime™ Activator*	N/A	C. HOT	JNG

* Evaluated for use with Loctite Corporation's anaerobic sealants and adhesives.

Plant At: CLEVELAND, OH

JOINING & SEALING MATERIALS

Trade Designation	Size	Water Contact Temp	Water Contact Material
<i>Thread Compounds</i>			
Dri-Seal® 513	>= 1/2"	C. HOT	TS

Plant At: SABANA GRANDE, PUERTO RICO

JOINING & SEALING MATERIALS

Trade Designation	Size	Water Contact Temp	Water Contact Material
<i>Thread Compounds</i>			
Loctite® 242 Threadlocker Adhesive	>= 1/2"	C. HOT	TS
Loctite® 290 Threadlocker Adhesive	>= 1/2"	C. HOT	TS
Loctite® 480 Instant Adhesive	***	C. HOT	SLT
Loctite® 518 Flange Sealant**	>= 1/2"	C. HOT	SLT
Loctite® 565 PST® Pipe Sealant	*	C. HOT	TS
Loctite® 680 Retaining Compound	>= 1/2"	C. HOT	JSM
Loctite® Resinol® 90C	++	C. HOT	SLT
Loctite® Resinol® RTC	++	C. HOT	SLT
Loctite® Threadlocker Adhesive 243**	>= 1/2"	C. HOT	TS

Continued on page 2

Additions Cannot Be Made To
This Listing Without Prior
Evaluation And Acceptance By NSF
Issued by Certification Records

28470

RES F99 10/02/2003
R

NSF International

RECOGNIZES

LOCTITE CORPORATION

Plant At: CLEVELAND, OH

AS COMPLYING WITH ANSI/NSF 61.
PRODUCTS APPEARING IN THE NSF OFFICIAL LISTING ARE
AUTHORIZED TO BEAR THE NSF MARK.



Certification Program Accredited by the American National Standards Institute



Certification Program Accredited by RvA, the Dutch Council for Accreditation



Certification Program Accredited by the Standards Council of Canada

This certificate is the property of NSF International and must be returned upon request. To verify certification, call 800 NSF-MARK or (1) 734 769-8010.

Dave Purkiss, General Manager
Drinking Water Additives

November 23, 1998
Certificate #28470/28471A